```
#########################################################################
#                          Emerge: Update Deep Newuse
#########################################################################

[^[[34;01mnomerge      ^[[39;49;00m] ^[[34;01mmedia-gfx/imagemagick-6.7.5.3^[[39;49;00m
[^[[34mnomerge      ^[[39;49;00m]  ^[[34mgnome-base/librsvg-2.34.2^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ]   ^[[32mx11-libs/pango-1.29.4^[[39;49;00m ^[[34;01m[1.28.4]^[[39;49;00m
[^[[32mebuild^[[39;49;00m  ^[[32;01mN^[[39;49;00m    ] ^[[32mvirtual/shadow-0^[[39;49;00m
[^[[34;01mnomerge      ^[[39;49;00m] ^[[34;01mwww-servers/apache-2.2.21-r1^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ]  ^[[32mnet-nds/openldap-2.4.30^[[39;49;00m ^[[34;01m[2.4.28-r1]^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ]   ^[[32mdev-libs/openssl-1.0.0h^[[39;49;00m ^[[34;01m[1.0.0g]^[[39;49;00m
[^[[34;01mnomerge      ^[[39;49;00m] ^[[34;01mapp-text/ghostscript-gpl-9.04-r4^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ]  ^[[32mapp-text/djvu-3.5.24-r1^[[39;49;00m ^[[34;01m[3.5.24]^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ]  ^[[32mmedia-libs/freetype-2.4.9^[[39;49;00m ^[[34;01m[2.4.8]^[[39;49;00m
[^[[32mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ] ^[[32mapp-shells/bash-4.2_p20^[[39;49;00m ^[[34;01m[4.1_p9]^[[39;49;00m
[^[[32;01mebuild^[[39;49;00m     ^[[36;01mU^[[39;49;00m ] ^[[32;01msys-apps/pciutils-3.1.9-r1^[[39;49;00m ^[[34;01m[3.1.7]^[[39;49;00m
[^[[34;01mnomerge      ^[[39;49;00m] ^[[34;01mapp-text/ghostscript-gpl-9.04-r4^[[39;49;00m
[^[[34mnomerge      ^[[39;49;00m]  ^[[34mnet-print/cups-1.4.8-r1^[[39;49;00m
[^[[34mnomerge      ^[[39;49;00m]   ^[[34mmedia-libs/tiff-4.0.0-r1^[[39;49;00m
[^[[32mebuild^[[39;49;00m   ^[[33;01mR^[[39;49;00m   ]    ^[[32mmedia-libs/jbigkit-2.0-r1^[[39;49;00m

Installing Above Packages:

>>> Verifying ebuild manifests
>>> Starting parallel fetch
>>> Emerging (^[[33;01m1^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mmedia-libs/jbigkit-2.0-r1^[[39;49;00m
>>> Installing (^[[33;01m1^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mmedia-libs/jbigkit-2.0-r1^[[39;49;00m
>>> Emerging (^[[33;01m2^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01msys-apps/pciutils-3.1.9-r1^[[39;49;00m
>>> Installing (^[[33;01m2^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01msys-apps/pciutils-3.1.9-r1^[[39;49;00m
>>> Emerging (^[[33;01m3^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mapp-shells/bash-4.2_p20^[[39;49;00m
>>> Installing (^[[33;01m3^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mapp-shells/bash-4.2_p20^[[39;49;00m
>>> Emerging (^[[33;01m4^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mmedia-libs/freetype-2.4.9^[[39;49;00m
>>> Installing (^[[33;01m4^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mmedia-libs/freetype-2.4.9^[[39;49;00m
>>> Emerging (^[[33;01m5^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mapp-text/djvu-3.5.24-r1^[[39;49;00m
>>> Installing (^[[33;01m5^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mapp-text/djvu-3.5.24-r1^[[39;49;00m
>>> Emerging (^[[33;01m6^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mdev-libs/openssl-1.0.0h^[[39;49;00m
>>> Installing (^[[33;01m6^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mdev-libs/openssl-1.0.0h^[[39;49;00m
>>> Emerging (^[[33;01m7^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mvirtual/shadow-0^[[39;49;00m
>>> Installing (^[[33;01m7^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mvirtual/shadow-0^[[39;49;00m
>>> Emerging (^[[33;01m8^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mnet-nds/openldap-2.4.30^[[39;49;00m
>>> Installing (^[[33;01m8^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mnet-nds/openldap-2.4.30^[[39;49;00m
>>> Emerging (^[[33;01m9^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mx11-libs/pango-1.29.4^[[39;49;00m
>>> Installing (^[[33;01m9^[[39;49;00m of ^[[33;01m9^[[39;49;00m) ^[[32;01mx11-libs/pango-1.29.4^[[39;49;00m

^[[32;01m * ^[[39;49;00mMessages for package ^[[32msys-apps/pciutils-3.1.9-r1^[[39;49;00m:

^[[32;01m * ^[[39;49;00mThe 'pcimodules' program has been replaced by 'lspci -k'

^[[32;01m * ^[[39;49;00mMessages for package ^[[32mmedia-libs/freetype-2.4.9^[[39;49;00m:

^[[32;01m * ^[[39;49;00mThe TrueType bytecode interpreter is no longer patented and thus no
^[[32;01m * ^[[39;49;00mlonger controlled by the bindist USE flag.  Enable the auto-hinter
^[[32;01m * ^[[39;49;00mUSE flag if you want the old USE=bindist hinting behavior.

^[[32;01m * ^[[39;49;00mMessages for package ^[[32mapp-text/djvu-3.5.24-r1^[[39;49;00m:

^[[32;01m * ^[[39;49;00mFor djviewer or browser plugin, emerge app-text/djview.

^[[32;01m * ^[[39;49;00mMessages for package ^[[32mdev-libs/openssl-1.0.0h^[[39;49;00m:

^[[33;01m * ^[[39;49;00mOld versions of installed libraries were detected on your system.
```

```
^[[33;01m * ^[[39;49;00mIn order to avoid breaking packages that depend on these old libs,
^[[33;01m * ^[[39;49;00mthe libraries are not being removed.  You need to run revdep-rebuild
^[[33;01m * ^[[39;49;00min order to remove these old dependencies.  If you do not have this
^[[33;01m * ^[[39;49;00mhelper program, simply emerge the 'gentoolkit' package.
^[[33;01m * ^[[39;49;00m
^[[33;01m * ^[[39;49;00m  # revdep-rebuild --library '/usr/lib64/libcrypto.so.0.9.8'
^[[33;01m * ^[[39;49;00m  # revdep-rebuild --library '/usr/lib64/libssl.so.0.9.8'
^[[33;01m * ^[[39;49;00m
^[[33;01m * ^[[39;49;00mOnce you've finished running revdep-rebuild, it should be safe to
^[[33;01m * ^[[39;49;00mdelete the old libraries.  Here is a copy & paste for the lazy:
^[[33;01m * ^[[39;49;00m  # rm '/usr/lib64/libcrypto.so.0.9.8'
^[[33;01m * ^[[39;49;00m  # rm '/usr/lib64/libssl.so.0.9.8'

^[[32;01m * ^[[39;49;00mMessages for package ^[[32mnet-nds/openldap-2.4.30^[[39;49;00m:

^[[32;01m * ^[[39;49;00mAdding back_dnssrv.so
^[[32;01m * ^[[39;49;00mAdding back_ldap.so
^[[32;01m * ^[[39;49;00mAdding back_meta.so
^[[32;01m * ^[[39;49;00mAdding back_monitor.so
^[[32;01m * ^[[39;49;00mAdding back_null.so
^[[32;01m * ^[[39;49;00mAdding back_passwd.so
^[[32;01m * ^[[39;49;00mAdding back_relay.so
^[[32;01m * ^[[39;49;00mAdding back_shell.so
^[[32;01m * ^[[39;49;00mAdding back_sock.so
^[[33;01m * ^[[39;49;00m//etc/openldap/ssl/ldap.key: exists, skipping
^[[31;01m * ^[[39;49;00mNo certificates were generated
^[[33;01m * ^[[39;49;00mSelf-signed SSL certificates are treated harshly by OpenLDAP 2.[12]
^[[33;01m * ^[[39;49;00mSelf-signed SSL certificates are treated harshly by OpenLDAP 2.[12]
^[[33;01m * ^[[39;49;00madd 'TLS_REQCERT never' if you want to use them.
^[[32;01m * ^[[39;49;00mGetting started using OpenLDAP? There is some documentation available:
^[[32;01m * ^[[39;49;00mGentoo Guide to OpenLDAP Authentication
^[[32;01m * ^[[39;49;00m(http://www.gentoo.org/doc/en/ldap-howto.xml)
^[[32;01m * ^[[39;49;00m---
^[[32;01m * ^[[39;49;00mAn example file for tuning BDB backends with openldap is
^[[32;01m * ^[[39;49;00mDB_CONFIG.fast.example in /usr/share/doc/openldap-2.4.30/

 ^[[33;01m* IMPORTANT:^[[39;49;00m 28 config files in '/etc' need updating.
 ^[[33;01m*^[[39;49;00m See the ^[[32mCONFIGURATION FILES^[[39;49;00m section of the ^[[01memerge^[[39;49;00m
 ^[[33;01m*^[[39;49;00m man page to learn how to update config files.

Cleaning dependencies: OK

Checking GCC version: OK

Running revdep-rebuild:

 * Temporary cache files are located in /var/cache/revdep-rebuild

revdep-rebuild environment:
SEARCH_DIRS="/bin
/lib
/lib32
/lib64
/opt/bin
/sbin
/usr/bin
/usr/lib
/usr/lib/gcc/x86_64-pc-linux-gnu/4.5.3
/usr/lib/postgresql
/usr/lib32
/usr/lib64
```

```
/usr/lib64/postgresql
/usr/lib64/postgresql-8.4/lib64/
/usr/lib64/postgresql-9.1/lib64/
/usr/libexec
/usr/local/lib
/usr/local/lib64
/usr/sbin
/usr/x86_64-pc-linux-gnu/gcc-bin/4.5.3
/usr/x86_64-pc-linux-gnu/lib"
SEARCH_DIRS_MASK="/lib/modules
/lib64/modules"
LD_LIBRARY_MASK="libjava.so
libjvm.so
libodbc.so
libodbcinst.so"
PORTAGE_ROOT="/"
EMERGE_OPTIONS="--quiet"
ORDER_PKGS="1"
FULL_LD_PATH="1"

Cleaning portage distfiles: OK
```